# NEX



# ELECTRIC HEATING ELEMENTS FOR TOWEL RAILS



finalist of the competition



2019



#### **Benefits**

Take advantages of all NEX benefits:

- Connect to the central heating system or create autonomous electrical system
- > Regulate the temperature of the heater
- Decide whether the heater works in continuous mode or turns on only for the time you set
- > Regulate temperature and time of heating
- > Warm your apartment also after heating season
- > Protect installation against freezing
- Eliminate the problem of hanging cables thanks to cover cable
- Set the controller according to your needs
   possibility of rotates controller by 330°
- Install devices with cable without bathroom renovation



### **Functionality**



3 TIMERS: turbo, start-stop, delayed start



Temperature regulation from 30°C to 60°C



Three-level overheating protection



Possibility of rotates controller by 330°



Low power consumption ULTRA-LOW-POWER



Protection against freezing (ANTIFREEZE)

### **User-friendly interface**



### What do you get with NEX?

- > COMFORT no more moisture in bathroom
- > LUXURY / WELL-BEING always warm and dry towels
- > **ECO FRIENDLY** low power consumption in standby mode
- > **SAFETY** two-levels overheating protection
- CLEAN MIND no more cold in your house
- MONEY IN POCKET adjust time of heating to your needs
- > **DESIGN** adopt to any style and types of radiator
- COMMUNICATION LED panels indicated temperature and activated function

## Adjust electric heating elements to your heater

Towel Rail power [W] (75/65/20°C)	Electric heating elements power [W]
<140	120
140 - 260	200
260 - 380	300
380 - 520	400
520 - 620	500
620 - 750	600
750 - 890	800
890 - 1100	1000
1100 - 1500	1200


### **Technical parameters**

> Nominal voltage: 230V, 50 Hz

> Insulation class: Class I

> Ingress protection class: IPX5

> Radiator connection: 1/2"



### **Types of connection**








- Masking cables > Straight cable
- > Spiral cable

### **Dimensions**

- > Height [h]: 56 mm
- > Width [w]: 56 mm
- > Depth [d]: 38 mm



#### **Contact**

Contact







